

# Nouryon Unsieved Industrial salt

Material number: 4385

## Product

Sodium Chloride Salt (%)	100	Calculated
Anticaking agent E535 expressed as $K_4Fe(CN)_6$ ( $\leq$ mg/kg)	25	SMA 251.01
Adherent moisture ( $\leq$ %)	0.2	SMA 280.15
Insolubles ( $\leq$ mg/kg)	20	SMA 116.05

## Sodium Chloride purity

Typical, based on dry vacuum salt

Sodium Chloride - NaCl (%)	99.8	SMA 775.02
Sulfate - $SO_4$ (mg/kg)	1700	SMA 792.02
Potassium - K (mg/kg)	80	SMA 792.02
Calcium - Ca (mg/kg)	25	SMA 792.02
Free Iron - Fe (mg/kg)	2.5	SMA 104.28
Magnesium - Mg (mg/kg)	2	SMA 792.02
Copper - Cu (mg/kg)	0.4	SMA 792.02
Bromide - Br ( $\leq$ mg/kg)	250	SMA 1039.02

Digit group separator: 1,000.00

CAS number: 7647-14-5, EINECS/ELINCS No.: 231-598-3

Product compliant with EN 973 grade A & B, EN 14805 type 2. Origin of salt: The Netherlands. Produced in The Netherlands.

## Physical properties

Typical Particle size, segregation may occur (SMA 721.04).

$\leq$ 1 mm	99 %
$>$ 1 mm	1 %

Bulk density ( $kg/m^3$ )	1250	SMA 243.04
---------------------------	------	------------

## Shelflife and storing conditions

Shelflife (years)	3
Storing conditions	Store clean and dry

## Delivery Unit

PE bag 25kg x 40

Pallet	Wooden Euro Pallet (80 x 120cm) HT + foil
Units per layer	5
Number of layers	8
Net weight (kg)	1000
Gross weight (kg)	1027
Pallet outer dimensions (mm)	1200 x 870 x 1000
EAN single unit	8715800975190

Certified QM system  
ISO 9001 / 14001

Distributor stamp

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

Hengelo Salt Specialties B.V. | P.O. Box 25 | 7550 GC | Hengelo (OV) | The Netherlands | salesassistantssalt@nouryon.com